



Solarcaine® Spray

Drug Facts

Active ingredient

Lidocaine 0.5%.....External analgesic

Purposes

Uses

- temporarily relieves pain and itching due to:
 - sunburn • minor burns
 - minor cuts • scrapes
 - insect bites • minor skin irritations

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

When using this product

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- keep out of eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if

- condition gets worse
- symptoms persist for more than 7 days
- symptoms clear up and occur again in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well
- adults and children 2 years and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray in palm of hand and gently apply

Inactive ingredients

Aloe barbadensis leaf juice, Isobutane, Propane, Propylene Glycol, Glycerin, Dimethicone, Tocopheryl acetate (vitamin E acetate), Triethanolamine, Carbomer, Diazolidinyl Urea, Methylparaben, Propylparaben, Disodium cocoamphodipropionate, Disodium EDTA