

Alka-Seltzer Plus® Maximum Strength Cough, Mucus & Congestion Day PowerMax® Gels

# **Drug Facts** Active ingredients (in each capsule) **Purposes** Acetaminophen 325 mg.....Pain reliever/fever reducer

Dextromethorphan hydrobromide 10 mg.....Cough suppressant Guaifenesin 200 mg......Expectorant Phenylephrine hydrochloride 5 mg......Nasal decongestant

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves these symptoms due to a cold or flu:
  - nasal congestion
- sinus congestion and pressure
- minor aches and pains
- headache
- cough
- · sore throat
- temporarily reduces fever

# Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin or severe

allergic reactions. Symptoms may include:

- skin reddening blisters rash hives
- facial swelling asthma (wheezing) shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

# Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age



## Ask a doctor before use if you have

- liver disease
- heart disease
- · high blood pressure

- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- · cough with excessive phlegm (mucus)

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

## Stop use and ask a doctor if

- · pain, cough, or nasal congestion gets worse or lasts more than 7 days
- · fever gets worse or lasts more than 3 days
- redness or swelling is present
- · new symptoms occur
- cough comes back or occurs with fever, rash or headache that lasts.
   These could be signs of a serious condition.
- nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# **Directions**

- do not take more than the recommended dose
- do not take the Day and Night products at the same time; wait 4 hours after the last Night dose before starting Day product
- adults and children 12 years and over take 2 capsules with water every 4 hours. Do not exceed 6 capsules in 12 hours or as directed by a doctor.
- children under 12 years: do not use

# Other information

store at 15°- 25°C (59° - 77°F)

**Inactive ingredients** FD&C red No. 40, gelatin, glycerin, lecithin, medium chain triglycerides, polyethylene glycol, potassium aluminum silicate, povidone, propylene glycol, purified water, shellac, sodium hydroxide, sorbitol sorbitan solution, titanium dioxide

**Questions or comments?** 1-800-986-0369 (Mon-Fri 9AM - 5PM EST)



Alka-Seltzer Plus® Maximum Strength Cough, Mucus & Congestion Night PowerMax® Gels

# Drug Facts

# Active ingredients (in each capsule)

Acetaminophen 325 mg......Pain reliever/fever reducer

Dextromethorphan hydrobromide 10 mg...... Cough suppressant Doxylamine succinate 6.25 mg......Antihistamine Phenylephrine hydrochloride 5 mg......Nasal decongestant

# Uses

- temporarily relieves these symptoms due to a cold or flu:
- minor aches and pains
- headache
- · nasal and sinus congestion
- sore throat
- runny nose sneezina
- temporarily reduces fever

# Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening
  blisters
  rash
  hives
  facial swelling
  asthma (wheezing)
  shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use to sedate children.

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

# Ask a doctor before use if you have

- heart disease liver disease
- high blood pressure

glaucoma

- thyroid disease diabetes
- · cough with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema



# Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- · taking sedatives or tranquilizers

# When using this product

- do not exceed recommended dosage
- may cause marked drowsiness
- · avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

# Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- · fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.
   These could be signs of a serious condition.
- · nervousness, dizziness, or sleeplessness occurs

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# **Directions**

- do not take more than the recommended dose
- do not take the Day and Night products at the same time; wait 4 hours after the last Day dose before starting Night product
- adults and children 12 years and over: take 2 capsules with water every 4 hours. Do not exceed 4 capsules in 12 hours or as directed by a doctor.
- · children under 12 years: do not use

# Other information

• store at 15° - 25°C (59° - 77°F)

**Inactive ingredients** D&C yellow No. 10, FD&C blue No. 1, gelatin, glycerin, polyethylene glycol, potassium aluminum silicate, povidone, propylene glycol, purified water, shellac, sodium hydroxide, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-800-986-0369 (Mon-Fri 9AM - 5PM EST)