

Drug Facts

Active ingredient (in each 5 mL)

Loratadine 5 mg.....Antihistamine

Purpose

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- use only with enclosed dosing cup
- mL = milliliter

adults and children 6 years and over	10 mL daily; do not take more than 10 mL in 24 hours
---	---

children 2 to under 6 years of age	5 mL daily; do not take more than 5 mL in 24 hours
---------------------------------------	---

children under 2 years of age	ask a doctor
----------------------------------	--------------

consumers with liver or kidney disease	ask a doctor
---	--------------

Other information

- **each 5 mL contains:** sodium 6 mg
- do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients

edetate disodium, flavor, glycerin, maltitol, monobasic sodium phosphate, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-800-CLARITIN (1-800-252-7484)